

10/561,571RCE

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssspta1611bxv

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	AUG 15	CAOLD to be discontinued on December 31, 2008
NEWS	3	OCT 07	EPFULL enhanced with full implementation of EPC2000
NEWS	4	OCT 07	Multiple databases enhanced for more flexible patent number searching
NEWS	5	OCT 22	Current-awareness alert (SDI) setup and editing enhanced
NEWS	6	OCT 22	WPIDS, WPINDEX, and WPIX enhanced with Canadian PCT Applications
NEWS	7	OCT 24	CHEMLIST enhanced with intermediate list of pre-registered REACH substances
NEWS	8	NOV 21	CAS patent coverage to include exemplified prophetic substances identified in English-, French-, German-, and Japanese-language basic patents from 2004-present
NEWS	9	NOV 26	MARPAT enhanced with FSORT command
NEWS	10	NOV 26	MEDLINE year-end processing temporarily halts availability of new fully-indexed citations
NEWS	11	NOV 26	CHEMSAFE now available on STN Easy
NEWS	12	NOV 26	Two new SET commands increase convenience of STN searching
NEWS	13	DEC 01	ChemPort single article sales feature unavailable
NEWS	14	DEC 12	GBFULL now offers single source for full-text coverage of complete UK patent families
NEWS	15	DEC 17	Fifty-one pharmaceutical ingredients added to PS
NEWS EXPRESS	JUNE 27 08	CURRENT WINDOWS VERSION IS V8.3, AND CURRENT DISCOVER FILE IS DATED 23 JUNE 2008.	
NEWS HOURS	STN Operating Hours Plus Help Desk Availability		
NEWS LOGIN	Welcome Banner and News Items		
NEWS IPC8	For general information regarding STN implementation of IPC 8		

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 20:38:04 ON 01 JAN 2009

10/561,571RCE

=> FILE REG

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.22

0.22

FILE 'REGISTRY' ENTERED AT 20:38:25 ON 01 JAN 2009

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 31 DEC 2008 HIGHEST RN 1092443-03-2

DICTIONARY FILE UPDATES: 31 DEC 2008 HIGHEST RN 1092443-03-2

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH July 5, 2008.

Please note that search-term pricing does apply when
conducting SmartSELECT searches.



REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10561571RCE.str

10/561,571RCE



chain nodes :
10 11 12 13 19
ring nodes :
1 2 3 4 5 6 7 8 9
chain bonds :
7-10 8-19 10-11 11-12 11-13
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-9 7-8 8-9
exact/norm bonds :
5-7 6-9 7-8 7-10 8-9 8-19 11-12 11-13
exact bonds :
10-11
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6
isolated ring systems :
containing 1 :

G1:C,O,N

G2:C,O,S

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS
11:CLASS 12:CLASS 13:CLASS 19:CLASS


10/561,571RCE

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR



G1 C,O,N

G2 C,O,S

Structure attributes must be viewed using STN Express query preparation.

=> s l1 sss sam

SAMPLE SEARCH INITIATED 20:38:55 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 5437 TO ITERATE

36.8% PROCESSED 2000 ITERATIONS

50 ANSWERS

INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 104319 TO 113161


PROJECTED ANSWERS: 21536 TO 25656

L2 50 SEA SSS SAM L1

=> d scan l2

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-carboxylic acid,
5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-,
1-[[2-(methylthio)acetyl]oxy]-2-oxo-2-(phenylamino)ethyl ester
MF C29 H30 N4 O8 S2




HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):49

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN


IN 1H-Benzimidazole-1-acetamide, N-(1-cyanocyclohexyl)-2-(trifluoromethyl)-

MF C17 H17 F3 N4 O



10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-carboxylic acid,
5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-,
1-(2,2-dimethyl-1-oxopropoxy)-2-oxo-2-phenoxyethyl ester
MF C31 H33 N3 O9 S




10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN


IN Ethanaminium, N,N,N-triethyl-2-(2-ethylidenehydrazinyl)-1-[[[5-methoxy-2-
[[(4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-1H-benzimidazol-1-
yl]carbonyl]oxy]-2-oxo-, chloride (1:1)

MF C28 H39 N6 O6 S . Cl



10/561,571RCE


L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-acetamide, N-[(4-fluorophenyl)methyl]-2-
[(methylthio)methyl]-
MF C18 H18 F N3 O S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571RCE


L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-carboxylic acid,
2-[[[3-methyl-4-(2,2,2-trifluoroethoxy)-2-pyridinyl]methyl]sulfinyl]-,
1-(benzoyloxy)-2-(hydroxyamino)-2-oxoethyl ester
MF C26 H21 F3 N4 O8 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-acetamide, 2-[(2-chlorophenyl)methyl]-5,6-dimethyl-N-[2-(4-morpholinyl)ethyl]- α -propyl-
MF C27 H35 Cl N4 O2





PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN


IN 1H-Benzimidazole-1-carboxylic acid,
5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-,
1-[(2-methoxybenzoyl)oxy]-2-(methylphenylamino)-2-oxoethyl ester

MF C35 H34 N4 O9 S



10/561,571RCE


L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-acetamide, 2-[(methylsulfonyl)methyl]-N-[2-[(2,2,2-
trifluoroethyl)thio]phenyl]-
MF C19 H18 F3 N3 O3 S2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571RCE


L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-carboxylic acid,
2-[[[3-methyl-4-(2,2,2-trifluoroethoxy)-2-pyridinyl]methyl]sulfinyl]-,
(acetyloxy)carboxymethyl ester
MF C21 H18 F3 N3 O8 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571RCE


L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN INDEX NAME NOT YET ASSIGNED
MF C30 H36 F3 N3 O9 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-acetic acid, 2-methyl-,
2-[1-[4-[[(2-carboxyethyl)amino]sulfonyl]phenyl]ethylidene]hydrazide
MF C21 H23 N5 O5 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 1H-Benzimidazole-1-carboxylic acid,
5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-,
2-(2,2-dimethylhydrazinyl)-2-oxo-1-[(2-pyridinylcarbonyl)oxy]ethyl ester

MF C28 H30 N6 O8 S




10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 1H-Benzimidazole-1-acetamide, 2-[(4-chlorophenoxy)methyl]-N-(3-cyano-5,6-dihydro-4H-cyclopenta[b]thien-2-yl)-

MF C24 H19 Cl N4 O2 S




10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 1H-Benzimidazole-1-carboxylic acid,
5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-,
2-oxo-2-(2-propen-1-yloxy)-1-[(4-pyridinylcarbonyl)oxy]ethyl ester


MF C29 H28 N4 O9 S



10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN INDEX NAME NOT YET ASSIGNED
MF C24 H22 N4 O3


Double bond geometry as shown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571RCE


L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-carboxylic acid,
5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-,
1-(benzoylthio)-2-oxo-2-propoxyethyl ester
MF C30 H31 N3 O8 S2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571RCE



L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-carboxylic acid,
5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-,
2-(butylthio)-1-[(2-furanylcarbonyl)oxy]-2-oxoethyl ester
MF C29 H31 N3 O9 S2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-acetamide, 2-[(2,4-dichlorophenyl)methyl]- α -ethyl-
N-(2-pyridinylmethyl)-
MF C24 H22 Cl2 N4 O




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 1H-Benzimidazole-1-carboxylic acid,
2-[[[3-methyl-4-(2,2,2-trifluoroethoxy)-2-pyridinyl]methyl]sulfinyl]-,
1-[[[bis(phenylmethyl)amino]thioxomethyl]thio]-2-(methylphenylamino)-2-
oxoethyl ester

MF C41 H36 F3 N5 O5 S3




10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN


IN 1H-Benzimidazole-1-acetamide, N-[2-[(2-chlorophenyl)amino]-2-oxoethyl]-2-
[(difluoromethyl)thio]-N-methyl-

MF C19 H17 Cl F2 N4 O2 S



10/561,571RCE


L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-carboxylic acid,
5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-,
1-(acetylthio)-2-ethoxy-2-oxoethyl ester
MF C24 H27 N3 O8 S2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571RCE


L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-carboxylic acid,
2-[[[3-methyl-4-(2,2,2-trifluoroethoxy)-2-pyridinyl]methyl]sulfinyl]-,
1-[(2-furanylcarbonyl)oxy]-2-hydrazinyl-2-oxoethyl ester
MF C24 H20 F3 N5 O8 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571RCE


L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-acetamide, 2-(trifluoromethyl)-N-[3-(trifluoromethyl)cyclohexyl]-
MF C17 H17 F6 N3 O



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571RCE


L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-carboxylic acid,
2-[[[3-methyl-4-(2,2,2-trifluoroethoxy)-2-pyridinyl]methyl]sulfinyl]-,
2-hydrazinyl-2-oxo-1-(3,3,3-trifluoro-1-oxopropoxy)ethyl ester
MF C22 H19 F6 N5 O7 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571RCE



L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-acetamide, 2-[(4-fluorophenyl)methyl]-5,6-dimethyl-
 α -phenyl-N-(2-pyridinylmethyl)-
MF C30 H27 F N4 O



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN INDEX NAME NOT YET ASSIGNED
MF C30 H31 N3 O10 S



10/561,571RCE


L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-acetic acid, α -(benzoyloxy)-5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-
MF C26 H25 N3 O7 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571RCE


L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-carboxylic acid,
2-[[[3-methyl-4-(2,2,2-trifluoroethoxy)-2-pyridinyl]methyl]sulfinyl]-,
1-(benzoylthio)-2-oxo-2-propoxyethyl ester
MF C29 H26 F3 N3 O7 S2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571RCE


L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-carboxylic acid,
5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-,
1-(benzoyloxy)-2-(butylthio)-2-oxoethyl ester
MF C31 H33 N3 O8 S2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571RCE


L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2-Propanone, O-[[5-methoxy-2-[[[4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-1H-benzimidazol-1-yl]carbonyl]oxime
MF C21 H24 N4 O5 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-carboxylic acid,
5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-,
2-(2,2-dimethylhydrazinyl)-2-oxo-1-[(4-pyridinylcarbonyl)oxy]ethyl ester
MF C28 H30 N6 O8 S



10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN INDEX NAME NOT YET ASSIGNED
MF C18 H17 Cl F N3 O S




10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN


IN 1H-Benzimidazole-1-carboxylic acid,
2-[[[3-methyl-4-(2,2,2-trifluoroethoxy)-2-pyridinyl]methyl]sulfinyl]-,
1-[[[(dimethylamino)thioxomethyl]thio]-2-oxo-2-(2-propen-1-yloxy)ethyl
ester

MF C25 H25 F3 N4 O6 S3




10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN INDEX NAME NOT YET ASSIGNED
MF C29 H38 F3 N4 O5 S2 . Cl



10/561,571RCE


L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-carboxylic acid,
5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-,
1-(benzoylthio)-2-(cyclopropyloxy)-2-oxoethyl ester
MF C30 H29 N3 O8 S2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-carboxylic acid,
2-[[[3-methyl-4-(2,2,2-trifluoroethoxy)-2-pyridinyl]methyl]sulfinyl]-,
1-chloro-2-[2-(1-methylethylidene)hydrazinyl]-2-oxoethyl ester
MF C22 H21 Cl F3 N5 O5 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN 1H-Benzimidazole-1-propanamide, 2-(phenylmethyl)-N-[2-(2-pyridinyl)ethyl]-

MF C24 H24 N4 O




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN


IN 1H-Benzimidazole-1-carboxylic acid,
2-[[[3-methyl-4-(2,2,2-trifluoroethoxy)-2-pyridinyl]methyl]sulfinyl]-,
2-[bis(phenylmethyl)amino]-1-[[2-(methylthio)acetyl]oxy]-2-oxoethyl ester

MF C36 H33 F3 N4 O7 S2




10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-acetamide, N-(2,3-dihydro-1H-inden-1-yl)-2-
[(methylsulfonyl)methyl]-
MF C20 H21 N3 O3 S



10/561,571RCE


L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-carboxylic acid,
2-[[[3-methyl-4-(2,2,2-trifluoroethoxy)-2-pyridinyl]methyl]sulfinyl]-,
1-(acetylthio)-2-ethoxy-2-oxoethyl ester
MF C23 H22 F3 N3 O7 S2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-carboxylic acid,
5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-,
1-[[2-(methylthio)acetyl]oxy]-2-oxo-2-[(phenylmethoxy)amino]ethyl ester
MF C30 H32 N4 O9 S2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-carboxylic acid,
2-[[(3R,5S)-5-[3-(cyclopentyloxy)-4-methoxyphenyl]-2-oxo-3-
piperidinyl)methyl]-5,6-dimethyl-, 1,1-dimethylethyl ester
MF C32 H41 N3 O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571RCE


L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-carboxylic acid,
5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-,
2-oxo-2-[(phenylmethoxy) amino]-1-[(4-pyridinylcarbonyl)oxy]ethyl ester
MF C33 H31 N5 O9 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-acetamide, N-(1,3-benzodioxol-5-ylmethyl)-2-[(3,4-
dichlorophenyl)methyl]-
MF C24 H19 Cl2 N3 O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN


IN 1H-Benzimidazole-1-carboxylic acid,
2-[[[3-methyl-4-(2,2,2-trifluoroethoxy)-2-pyridinyl)methyl]sulfinyl]-,
1-[(4-methylbenzoyl)oxy]-2-(4-nitrophenoxy)-2-oxoethyl ester

MF C33 H25 F3 N4 O10 S



10/561,571RCE


L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-acetic acid, 2-(methylsulfonyl)-, 2-benzoylhydrazide
MF C17 H16 N4 O4 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571RCE


L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-carboxylic acid,
2-[[[3-methyl-4-(2,2,2-trifluoroethoxy)-2-pyridinyl]methyl]sulfinyl]-,
1-(acetylthio)-2-(1,1-dimethylethoxy)-2-oxoethyl ester
MF C25 H26 F3 N3 O7 S2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571RCE


L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-carboxylic acid,
5-methoxy-2-[[(4-methoxy-3,5-dimethyl-2-pyridinyl)methyl]sulfinyl]-,
2-[2-(1-methylethylidene)hydrazinyl]-2-oxo-1-[(2-
pyridinylcarbonyl)oxy]ethyl ester
MF C29 H30 N6 O8 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/561,571RCE

L2 50 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-1-acetic acid, 2-butyl-,
2-[(5-carboxy-2,3-dimethylphenyl)sulfonyl]hydrazide
MF C22 H26 N4 O5 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED

10/561,571RCE

=> log y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.96

1.18

STN INTERNATIONAL LOGOFF AT 20:39:50 ON 01 JAN 2009